

®

Image® Wash&Rinse®

Extractors



www.clarkeus.com

Clarke®

Cleaning Power Since 1916.

WASH & RINSE® ... a Clear Advantage For a Clean Victory

Wash & Rinse® Image 26 E

120 or 230 Volt Options

Wash & Rinse® Image 26 B

36 Volt Battery Option

Wash & Rinse® gets carpets cleaner

- A solution spray is scrubbed into the carpet by a cylindrical brush, and then rinsed clean with water.

Wash & Rinse® means clean and fresh

- Clean water rinses the soap and dirt out of carpets in just one pass. You do the same thing when you wash and rinse your hair.

Wash & Rinse® re-soils slower

- Soap is designed to be a dirt sponge attracting dirt and then holding on to it.
- You wouldn't leave soap in your hair but that's just what is done when carpets are not rinsed.

It's not clean, until it's Wash & Rinse® clean

- Have you seen crystal or china that was not rinsed properly? Without rinsing, your carpets look the same way.

One-step clean and rinse in the same pass

- In one step Wash & Rinse® cleans and rinses to get the soap out. Carpets are cleaner and re-soil less quickly reducing costs.

Wash & Rinse® - "A home run every time"

- One pass Wash & Rinse® extraction means cleaner carpets, lower resoil rates, higher productivity and extended carpet life!

WASH & RINSE®



Wash & Rinse® - "We Do Carpets"



Ergonomic handle is designed for convenient multi-positioning and easy operation.




Chemical tank eliminates incorrect ratios and waste. Just pour straight chemical into the tank and go. Sight tubes measure remaining chemical and water. No-splash drain hose completely drains into floor sink.



Electronic float shutoff and horizontal mount design protect vac motor from water damage. Large recovery access promotes easy cleaning.

Image[®] 26 Extractors



KEY FEATURES

- Scrubs and rinses in a single pass
- Self propelled, easy to maneuver
- Superior line of sight
- InterEx feature for interim and restorative cleaning modes
- Productive 26 inch cleaning path.
- Big gallon capacities
- Powerful vacuum system

WASH & RINSE[®]

SPECIFICATIONS

| | Image 26B | Image 26E |
|-------------------------------|---|---------------------------------------|
| Part Number | 04144A | 04143A |
| Power Source | 36 Volt (3) 195 AH batteries | 120 Volt, 60 Hz / 230 50 Hz |
| Cleaning Path | 26" (66 cm) | 26" (66 cm) |
| Brush Motor | .25 hp | .25 hp |
| Vacuum Motor | Dual tangential 3-stage | 2 hp tangential 3-stage |
| Transverse | .5 hp transaxle | .125 hp gear drive |
| Pump | 100 PSI (7 bar) - Bypass protected | 150 PSI (10.5 bar) - Bypass protected |
| Flow | 1 GPM (3.5 LPM) Max | 1 GPM (3.5 LPM) Max |
| Tank Size | 30 gallon (113 L) | 25 gallon (94.6 L) |
| Spray Nozzles | 7 | 7 |
| Dimensions (L x W x H) | 48 x 26 x 43 in. (122 x 66 x 109 cm) | 44 x 26 x 36 in. (112 x 66 x 91 cm) |
| Weight | 650 lbs. with batteries | 210 lbs. |
| Shipping Weight | 930 lbs. (422 kg) | 260 lbs. (118 kg) |
| Warranty | 8 Years on Polydur [®] tanks, 1 Year Parts & Labor | |

WHO USES THIS MACHINE?

- Public Facilities
- Airports
- Schools and Universities
- Hotels
- Cleaning Contractors
- Government buildings and agencies
- Hospitals

WHAT DOES IT DO BEST?

- Uses clean water to rinse soap out of carpets, providing the most effective method of soil removal from textile flooring available anywhere

WHAT MAKES IT EASY TO USE?

- Single pass cleaning - no rinsing required

- 26 B – no-chain transaxle provides traverse
- 26 E – 75 ft. power cable for long reach
- Clean line-of-sight
- Positive no-aim drain control
- Ergonomically contoured handle
- Easy operation and convenient controls

WHAT ENHANCES ITS PRODUCTIVITY?

- 26B – Quick-access battery pack
- 26E – long power cable enhances productivity
- InterEx feature (adjustable traverse speed, solution flow, brush type and pressure) allows interim and restorative cleaning modes

WHAT ADDS TO ITS DURABILITY?

- Individual circuit breaker protection for traverse, pump, vacuum and brush motors
- Replaceable shoes on recovery tool
- Easy access solution filter
- Quick change “reversible” brush
- Quick Change nozzles for easy access

WHAT ARE ITS SAFETY FEATURES?

- UL Listed
- Solution & brush off in neutral

WHAT ARE ITS OPTIONAL FEATURES?

- Full line of accessories available

Clarke[®]
 2100 Hwy. 265
 Springdale, AR 72764
www.clarkeus.com

DISTRIBUTED BY:

Customer Relations: 1.800.253.0367
 Fax Orders to: 1.800.825.2753
 Technical Service: 1.800.356.7274

